



## Product Specification 7034

Taconic's 7034 is a flexible PTFE coated glass fibre product with a high PTFE content. As a premium grade non-stick material with crease and tear properties, 7034 is ideal for use in the packaging industry as a belt or as edge reinforcement. In addition with its smooth surface and release properties, 7034 offers excellent value and performance. Standard width of 7034 is 1000mm.

Product Properties	Units	Value	Tolerance	Test Method
Reinforcing Substrate		<b>E-GLASS</b>		
Coating Type		<b>PTFE</b>		
% Coating	%	<b>64</b>	+/-2%	
Total Coated Weight	g/sqm	<b>135</b>	+/-5%	
Nominal Thickness	microns	<b>70</b>		
Dielectric Breakdown	Volts	<b>2500</b>	Typical	BS 2782 part 2
		<b>2000</b>	Minimum	
Tensile Strength	N/5cm	<b>900</b>	Typical Warp	ISO 1421
		<b>700</b>	Minimum Warp	
		<b>800</b>	Typical weft	
		<b>600</b>	Minimum weft	
Tear Strength	N	<b>25</b>	Typical Warp	ISO 9073-4
		<b>20</b>	Minimum Warp	
		<b>20</b>	Typical weft	
		<b>20</b>	Minimum weft	
Operating Temperature	°Celsius	<b>-73° to +260°</b>		

Information contained in this document is based on our general experience and is given in good faith, but we are unable to accept responsibility in respect to factors which are outside our knowledge or control. All data is subject to change without notice.



Please contact us for samples or a quotation

**Taconic International Ltd**  
Ireland  
[www.taconic-ipd.com](http://www.taconic-ipd.com)  
[info@taconic-ipd.com](mailto:info@taconic-ipd.com)

**Taconic France**  
France  
[www.taconic-ipd.fr](http://www.taconic-ipd.fr)  
[info@taconic-ipd.fr](mailto:info@taconic-ipd.fr)

**Taconic International Ltd**  
Germany  
[www.taconic.de](http://www.taconic.de)  
[info@taconic.de](mailto:info@taconic.de)

**Wildcat Taconic**  
United Kingdom  
[www.taconic-ipd.com](http://www.taconic-ipd.com)  
[info@wildcat-taconic.com](mailto:info@wildcat-taconic.com)

**Taconic SP z.o.o**  
Poland  
[www.taconic-ipd.pl](http://www.taconic-ipd.pl)  
[biuro@4taconic.com](mailto:biuro@4taconic.com)



For queries in North America please visit [www.4taconic.com](http://www.4taconic.com) or email [info@4taconic.com](mailto:info@4taconic.com)

